For a complete list of codes, please visit the NCQA website at **ncqa.org**, or see the HEDIS value sets. The following is a subset only of the NCQA approved codes.

😵 All Well-Child Visits

Must include the following: Documentation of a visit with an acceptable provider type, the date of the visit, and services to validate a well-child visit was performed.

Measure	Best Practice	Codes	
(W30) Well-Child Visits in the First 30 Months of Life (0–30 months)	Well-Child Visits in the First 15 Months. For children who turned 15 months old during the measurement year: Six or more well-child visits.	99381, 99382, 99391, 99392, 99461, G0438, G0439, S0302, Z00.110, Z00.111, Z00.121, Z00.129	
	Well-Child Visits for 15–30 Months of Age. For children who turned 30 months of age during the measurement year: Two or more well-child visits.		
(WCV) Child and Adolescent Well-Care Visits (3–21 years of age)	One or more comprehensive well-care visits with a PCP or OB/GYN within the measurement year. Visits occurring anytime in the measurement year, including prior to or after the patient's birthday, close the gap.	99382-99385, 99391-99395, G0438, G0439, S0302, S0610, S0612, S0613, Z00.00, Z00.01, Z00.121, Z00.129, Z00.2, Z00.3, Z01.411, Z01.419, Z02.5, Z76.2	
🗾 Respiratory Conditions			
Measure	Best Practice	Codes	
(CWP) Appropriate Testing for Pharyngitis	 Episodes for members 3 years of age and older where the member is: Diagnosed with pharyngitis Dispensed an antibiotic Received a group A strep test Note: Test for Group A Strep before dispensing an antibiotic. 	Group A Strep Test: 87070, 87071, 87081, 87430, 87650–87652, 87880	
		Pharyngitis: J02.0, J02.8, J02.9, J03.00, J03.01, J03.80, J03.81, J03.90, J03.91	
🔐 Weight Assessment and Counseling for Nutrition & Physical Activity			
Measure	Best Practice	Codes	
(WCC) Weight Assessment and Counseling for Nutrition and Physical Activity for Children/ Adolescents (3-17 years of age)	Visit with PCP or OB/GYN in measurement year with documentation of or claim for discussion of BMI percentile, AND nutrition and diet, AND physical activity.	BMI: Z68.51, Z68.52, Z68.53, Z68.54 Nut: 97802–97804, G0270, G0271, G0447, S9449, S9452, S9470 PA: G0447, S9451, Z02.5, Z71.82	

HEDIS[®] is a registered trademark of the National Committee for Quality Assurance (NCQA).

OhanaHealthPlan.com



🖉 Immunizations			
Measure	Best Practice	Codes	
(CIS-E) Childhood Immunizations (Completed on or before the 2nd birthday)	DTaP - 4 Doses	90697, 90698, 90700, 90723	
	PCV – 4 Doses	90670, 90671, G0009	
	IPV – 3 Doses	90697, 90698, 90713, 90723	
	HiB – 3 Doses	90644, 90647, 90648, 90697, 90698, 90748	
	Hep B – 3 Doses	90697, 90723, 90740, 90744, 90747, 90748, G0010	
	RV – 2 or 3 Doses	2 Doses: 90681 3 Doses: 90680	
	Flu – 2 Doses (LAIV meets criteria for one of the two required vaccinations if administered on the 2nd birthday)	90655, 90657, 90660, 90661, 90672-90674, 90685-90689, 90756	
	VZV – 1 Dose	90710, 90716	
	MMR – 1 Dose	90707, 90710	
	Hep A – 1 Dose	90633	
(IMA-E) Immunizations for Adolescents (Completed on or before the 13th birthday)	Meningococcal – 1 Dose	90619, 90623, 90733, 90734	
	Tdap – 1 Dose	90715	
	HPV – 2 or 3 Doses	90649-90651	
🖁 Lead Screening			
Measure	Best Practice	Codes	
(LSC) Lead Screening in Children	Percentage of children who had one or more capillary or venous lead blood tests by their 2nd birthday. At least one lead screening result documented by age 2.	83655	